

AMENDED

Nº 44204

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

JUL 29 1981

Date of filing in State Engineer's Office.....

OCT 26 1981

Returned to applicant for correction.....

NOV 3 1981

Corrected application filed.....

NOV 28 1979 under 36187

Map filed.....

The applicant Bobby Joe Taylor and Kathey Jo Taylor

4555 Wynn Rd., of Las Vegas

Street and No. or P.O. Box No.

City or Town

Nevada 89103, hereby make application for permission to appropriate the public

State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Artesian Basin (underground)

Name of stream, lake or other source.

2. The amount of water applied for is .00669 second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....acre-feet

3. The water to be used for Domestic and Quasi-Municipal 3 homes

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NW1/4, SW1/4, NW1/4, SE1/4

section 33 T19S, R60E MDB&M or at a point from which the Center 1/4 of

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, said Section 33 bears North 24°37'51" West a distance of 804.04' feet it should be stated.

6. Place of use NW1/4, SW1/4NW1/4, SE1/4, Section 33 T19S, R60E MDB&M

Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 400 feet of well casing 8 inches in diameter equipped with a 5 hp electric motor and a 500 gal pressure tank.

State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... \$12,000.00
10. Estimated time required to construct works..... 1 year
If well completed, describe works.
11. Estimated time required to complete the application to beneficial use..... 2 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

3 homes domestic and landscaping purposes.

s/ Joseph M. Kolasky
By Joseph M. Kolasky State Water Surveyor
531 N. Radwick Dr. #473
Las Vegas, Nev. 89110

Compared bl/ CS ja/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00669 cubic feet per second, but not to exceed 1.095 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before June 16, 1983

Proof of completion of work shall be filed before July 16, 1983

Application of water to beneficial use shall be made on or before June 16, 1985

Proof of the application of water to beneficial use shall be filed on or before July 16, 1985

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed JUN 13 1983 IN TESTIMONY WHEREOF, I PETER G. MORROS

Completion of work filed

Proof of beneficial use filed

Cultural map AUG 18 1987

Certificate No. Issued BECAUSE OF FAILURE TO COMPLY WITH THE PROVISIONS OF PERMIT

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

STATE ENGINEER

State Engineer